

Samo Stanič, scientific papers in 2016

References

- [1] A. Aab *et al.* [Pierre Auger Collaboration], “Testing Hadronic Interactions at Ultrahigh Energies with Air Showers Measured by the Pierre Auger Observatory,” *Phys. Rev. Lett.* **117** (2016) no.19, 192001, <http://dx.doi.org/10.1103/PhysRevLett.117.192001>.
- [2] A. Aab *et al.* [Pierre Auger Collaboration], “Evidence for a mixed mass composition at the ‘ankle’ in the cosmic-ray spectrum,” *Phys. Lett. B* **762** (2016) 288, <http://dx.doi.org/10.1016/j.physletb.2016.09.039>.
- [3] A. Aab *et al.* [Pierre Auger Collaboration], “Search for ultrarelativistic magnetic monopoles with the Pierre Auger Observatory,” *Phys. Rev. D* **94** (2016) no.8, 082002, <http://dx.doi.org/10.1103/PhysRevD.94.082002>.
- [4] A. Aab *et al.* [Pierre Auger Collaboration], “Ultrahigh-energy neutrino follow-up of gravitational wave events GW150914 and GW151226 with the Pierre Auger Observatory,” *Phys. Rev. D* **94** (2016) no.12, 122007, <http://dx.doi.org/10.1103/PhysRevD.94.122007>.
- [5] A. Aab *et al.* [Pierre Auger Collaboration], “Measurement of the Radiation Energy in the Radio Signal of Extensive Air Showers as a Universal Estimator of Cosmic-Ray Energy,” *Phys. Rev. Lett.* **116** (2016) no.24, 241101, <http://dx.doi.org/10.1103/PhysRevLett.116.241101>.
- [6] A. Aab *et al.* [Pierre Auger Collaboration], “Azimuthal Asymmetry in the Risetime of the Surface Detector Signals of the Pierre Auger Observatory,” *Phys. Rev. D* **93** (2016) no.7, 072006, <http://dx.doi.org/10.1103/PhysRevD.93.072006>.
- [7] A. Aab *et al.* [Pierre Auger Collaboration], “Prototype muon detectors for the AMIGA component of the Pierre Auger Observatory,” *JINST* **11** (2016) no.02, P02012, <http://dx.doi.org/10.1088/1748-0221/11/02/P02012>.
- [8] A. Aab *et al.* [Pierre Auger Collaboration], “Nanosecond-level time synchronization of autonomous radio detector stations for extensive air showers,” *JINST* **11** (2016) 01, P01018, <http://dx.doi.org/10.1088/1748-0221/11/01/P01018>.
- [9] M. G. Aartsen *et al.* [IceCube and Pierre Auger and Telescope Array Collaborations], “Search for correlations between the arrival directions of IceCube neutrino events and ultrahigh-energy cosmic rays detected by the Pierre Auger Observatory and the Telescope Array,” *JCAP* **1601** (2016) 01, 037, <http://dx.doi.org/10.1088/1475-7516/2016/01/037>.
- [10] A. Aab *et al.* [Pierre Auger Collaboration], “Energy Estimation of Cosmic Rays with the Engineering Radio Array of the Pierre Auger Observatory,” *Phys. Rev. D* **93** (2016) no.12, 122005, <http://dx.doi.org/10.1103/PhysRevD.93.122005>.

- [11] C. P. Shen *et al.* [Belle Collaboration], “First observation of $\gamma\gamma \rightarrow p\bar{p}K^+K^-$ and search for exotic baryons in pK systems,” *Phys. Rev. D* **93** (2016) no.11, 112017, <http://dx.doi.org/10.1103/PhysRevD.93.112017>.
- [12] Z. King *et al.* [Belle Collaboration], “Search for the decay $B^0 \rightarrow \phi\gamma$,” *Phys. Rev. D* **93** (2016) no.11, 111101, <http://dx.doi.org/10.1103/PhysRevD.93.111101>.
- [13] S. B. Yang *et al.* [Belle Collaboration], “First Observation of Doubly Cabibbo-Suppressed Decay of a Charmed Baryon: $\Lambda_c^+ \rightarrow pK^+\pi^-$,” *Phys. Rev. Lett.* **117** (2016) no.1, 011801, <http://dx.doi.org/10.1103/PhysRevLett.117.011801>.
- [14] N. K. Nisar *et al.* [Belle Collaboration], “Search for the rare decay $D^0 \rightarrow \gamma\gamma$ at Belle,” *Phys. Rev. D* **93** (2016) no.5, 051102, <http://dx.doi.org/10.1103/PhysRevD.93.051102>.
- [15] Y. Sato *et al.* [Belle Collaboration], “Measurement of the branching ratio of $\bar{B}^0 \rightarrow D^{*+}\tau^-\bar{\nu}_\tau$ relative to $\bar{B}^0 \rightarrow D^{*+}\ell^-\bar{\nu}_\ell$ decays with a semileptonic tagging method,” *Phys. Rev. D* **94** (2016) no.7, 072007, <http://dx.doi.org/10.1103/PhysRevD.94.072007>.
- [16] J. Yelton *et al.* [Belle Collaboration], “Study of Excited Ξ_c States Decaying into Ξ_c^0 and Ξ_c^+ Baryons,” *Phys. Rev. D* **94** (2016) no.5, 052011, <http://dx.doi.org/10.1103/PhysRevD.94.052011>.
- [17] C. S. Park *et al.* [Belle Collaboration], “Search for a massive invisible particle X^0 in $B^+ \rightarrow e^+X^0$ and $B^+ \rightarrow \mu^+X^0$ decays,” *Phys. Rev. D* **94** (2016) no.1, 012003, <http://dx.doi.org/10.1103/PhysRevD.94.012003>.
- [18] B. Pal *et al.* [Belle Collaboration], “Observation of the decay $B_s^0 \rightarrow K^0\bar{K}^0$,” *Phys. Rev. Lett.* **116** (2016) no.16, 161801, <http://dx.doi.org/10.1103/PhysRevLett.116.161801>.
- [19] M. Starič *et al.* [Belle Collaboration], “Measurement of $D^0 - \bar{D}^0$ mixing and search for CP violation in $D^0 \rightarrow K^+K^-, \pi^+\pi^-$ decays with the full Belle data set,” *Phys. Lett. B* **753** (2016) 412, <http://dx.doi.org/10.1016/j.physletb.2015.12.025>.
- [20] K. Negishi *et al.* [Belle Collaboration], “First model-independent Dalitz analysis of $B^0 \rightarrow DK^{*0}, D \rightarrow K_S^0\pi^+\pi^-$ decay,” *PTEP* **2016** (2016) no.4, 043C01, <http://dx.doi.org/10.1093/ptep/ptw030>.
- [21] R. Mizuk *et al.* [Belle Collaboration], “Energy scan of the $e^+e^- \rightarrow h_b(nP)\pi^+\pi^-$ ($n = 1, 2$) cross sections and evidence for $\Upsilon(11020)$ decays into charged bottomonium-like states,” *Phys. Rev. Lett.* **117** (2016) no.14, 142001, <http://dx.doi.org/10.1103/PhysRevLett.117.142001>.

- [22] Y. Sato *et al.* [Belle Collaboration], “Measurement of the lepton forward-backward asymmetry in $B \rightarrow X_s \ell^+ \ell^-$ decays with a sum of exclusive modes,” *Phys. Rev. D* **93** (2016) no.3, 032008, Addendum: *Phys. Rev. D* **93** (2016) no.5, 059901, <http://dx.doi.org/10.1103/PhysRevD.93.059901>, <http://dx.doi.org/10.1103/PhysRevD.93.032008>.